

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	869	read adj data adj bus and write adj data adj bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 11:06
L2	0	1 and read adj data with first with edge with first adj clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 11:07
L3	0	1 and read adj data with edge with first adj clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 11:08
L4	41	1 and read adj data with edge with clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 11:08
L5	9	4 and write adj data and first adj memory and second adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 11:08
L6	7	5 and latch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 11:10
L7	3226	365/233.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 11:10
L8	40	7 and read adj data adj bus and write adj data adj bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 11:11

L9	9	8 and read adj data with edge with clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 11:13
L10	2	9 and first adj clock and second adj clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 11:15
L11	0	9 and read adj data with first adj clock and write adj data with second adj clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 11:15
L12	0	8 and read adj data with first adj clock and write adj data with second adj clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 11:15

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	first adj memory adj cell with read adj data adj bus with edge with first adj clock.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 14:27